

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--------------------------------|------------------|---------|---------------------|
| L1 | 10 | ((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND ((grid OR cluster OR n? body OR nbody) WITH comput\$4) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 13:14 |
| L2 | 3564 | (709/201).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2009/11/12 13:14 |
| L3 | 1805 | (709/221).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2009/11/12 13:14 |
| L4 | 5312 | L2 OR L3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 13:14 |
| L5 | 0 | L4 AND (((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND ((grid OR cluster OR n?body OR nbody) WITH comput\$4)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 13:15 |
| S179 | 10293 | S173 OR S174 OR S175 OR S176 OR S177 OR S178 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/30 15:36 |
| S262 | 2198 | (714/4).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S263 | 845 | (714/2).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S264 | 311 | (714/3).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S265 | 2748 | (714/6).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S266 | 3093 | (709/201).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S267 | 1540 | (709/221).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |

| | | | | | | |
|------|-------|---|--------------------------------|----|-----|---------------------|
| S268 | 10293 | S262 OR S263 OR S264 OR S265 OR S266 OR S267 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S269 | 2198 | (714/4).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S270 | 845 | (714/2).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S271 | 311 | (714/3).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S272 | 2748 | (714/6).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S273 | 3093 | (709/201).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S274 | 1540 | (709/221).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S275 | 10293 | S269 OR S270 OR S271 OR S272 OR S273 OR S274 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S276 | 2198 | (714/4).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S277 | 845 | (714/2).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S278 | 311 | (714/3).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S279 | 2748 | (714/6).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S280 | 3093 | (709/201).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S281 | 1540 | (709/221).CCLS. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S282 | 10293 | S276 OR S277 OR S278 OR S279 OR S280 OR S281 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S283 | 670 | S282 AND (approximat\$3 OR estimat\$3) WITH (data OR results OR output) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |

| | | | | | | |
|------|-----|--|--------------------------------|----|-----|---------------------|
| S284 | 266 | S282 AND ((approximat\$3 OR estimat\$3) WITH (data OR results OR output)) AND (((grid OR cluster OR distribut\$2) WITH (computing OR network)) OR (p2p OR p-2-p OR peer?to?peer OR peer?2?peer)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S285 | 10 | S282 AND (((approximat\$3 OR estimat\$3) WITH (data OR results OR output)) SAME ((node OR nodal OR device OR point) WITH (error OR fail\$3))) AND (((grid OR cluster OR distribut\$2) WITH (computing OR network)) OR (p2p OR p-2-p OR peer?to?peer OR peer?2?peer)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S286 | 6 | S285 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S287 | 0 | S282 AND ((approximat\$3 OR estimat\$3) WITH (data OR results OR output)) SAME (multi?cycle OR cyclic OR redundant) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S288 | 51 | S282 AND ((approximat\$3 OR estimat\$3) WITH (data OR results OR output)) AND (multi?cycle OR cyclic OR redundant) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S289 | 51 | S282 AND ((approximat\$3 OR estimat\$3) WITH (data OR results OR output)) AND (multi?cycle OR cyclic) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S290 | 23 | S282 AND ((approximat\$3 OR estimat\$3) WITH (data OR results OR output)) AND (multi?cycle OR cyclic) AND (((grid OR cluster OR distribut\$2) WITH (computing OR network)) OR (p2p OR p-2-p OR peer?to?peer OR peer?2?peer)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S291 | 16 | S290 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S292 | 16 | S290 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") AND (fail\$3 OR error) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S293 | 1 | ("20040098447").PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |

| | | | | | | |
|------|------|--|--------------------------------|----|-----|---------------------|
| S294 | 1 | ("20020038301").PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/12/31 15:08 |
| S295 | 3402 | S282 AND (grid OR distributed OR cluster) WITH (computing OR network) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S296 | 57 | S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail\$3 OR error) SAME (sav\$3 WITH state)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S297 | 160 | S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail\$3 OR error) SAME (return\$3 WITH result\$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S298 | 1 | S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail\$3 OR error) SAME (return\$3 WITH result\$3) SAME (???comput\$3 OR ??? calculat\$3 OR ???process\$3)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S299 | 34 | S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail\$3 OR error) SAME (return\$3 WITH result\$3) SAME (node)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S300 | 24 | S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND ((fail\$3 OR error) SAME (return\$3 WITH result\$3) WITH (node)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S301 | 22 | S300 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") AND (fail \$3 OR error) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:08 |
| S302 | 0 | S301 AND (fail WITH time WITH delay) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:10 |
| S303 | 60 | S282 AND ((grid OR distributed OR cluster) WITH (computing OR network)) AND (fail\$3 WITH time WITH delay) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:11 |
| S304 | 54 | S303 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") AND (fail \$3 OR error) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:11 |

| | | | | | | |
|------|--------|---|--------------------------------|----|-----|---------------------|
| S305 | 1 | S303 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") AND ((fail \$3 OR error) SAME (disconnect OR dis-connect)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/12/31 15:14 |
| S306 | 1 | ("20050081083").PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2009/11/12 10:34 |
| S307 | 1 | ("20030005068").PN. | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2009/11/12 11:50 |
| S308 | 260482 | (approx\$8 WITH (result OR data OR information)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 11:56 |
| S309 | 236921 | (approx\$8 WITH (result OR data)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 11:56 |
| S310 | 48671 | ((approximate OR approximating) WITH (result OR data OR information)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 11:57 |
| S311 | 1002 | ((approximate OR approximating) WITH (result OR data OR information)) SAME (computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 11:58 |
| S312 | 13 | ((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) SAME (computing) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 11:59 |
| S313 | 436 | ((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 11:59 |
| S314 | 80 | ((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND (grid OR cluster OR n? body OR nbody) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 11:59 |
| S315 | 50 | S314 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 12:00 |
| S316 | 10 | ((manager OR central) WITH (approximate OR approximating) WITH (result OR data OR information)) AND ((grid OR cluster OR n? body OR nbody) WITH comput \$4) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 12:01 |
| S317 | 8 | S316 AND (@ad<"20031010" OR @pd<"20031010" OR @rlad<"20031010") | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/11/12 12:01 |

11/ 12/ 2009 1:16:19 PM

**C:\ Documents and Settings\ jgreene3\ My Documents\ EAST\ Workspaces\ 10821082Interference.
wsp**